Use the completed handout to complete the notes.




Volume of a Solid of Revolution Using the Shell Method


In this section, we will look at another method for determining the volume of a solid of revolution, called the *shell method*. It makes use of cylindrical shells, and it is sometimes easier to use than the disc and washer methods. Watch this <u>video</u> about the shell method.



First of all, recall the formula for the volume of a cylinder.




Now, consider the following rectangle, drawn parallel to the axis of revolution, with width w, height (length) h, and distance p from the axis of revolution to the center of the rectangle. We revolve the rectangle about the axis of revolution and form a *cylindrical shell*.



Volume of cylindrical shell	= volume of	minus volume of
	=	
	=	
	=	
	=	
	=	
	=	

When you determine the volume of a solid of revolution using the *shell method*, your diagram will resemble one of the two following diagrams. Note that with the *shell method*, the representative rectangle that you draw will be *parallel* to the axis of revolution.



Watch this video of an example of the shell method.



Exercise 1: Use the shell method to determine the volume of the solid of revolution formed by revolving the region bounded by $f(x) = -(x-2)^2 + 4$ and the x-axis about the y-axis.

Steps

- 1. Draw the representative rectangle to the
- 2. Label the width appropriately. In *this* exercise, the width of the representative rectangle is This tells you to write




3. Label p and h. In this exercise, p(x) =

In this exercise, h(x) =

Therefore, volume =
$$2\pi \int_{a}^{b} p(x) h(x) dx$$

Recalling Exercise 4 from page 6 of Handout 7.2, consider Exercise 2 below. In Exercise 2, we will re-compute the volume of the solid of revolution, but this time we will use the shell method instead of using both the disk and washer methods as we did in Handout 7.2. In 7.2, we had to use both the disk and the washer methods, and we had to write two integrals. Using the shell method in this case will require only one integral, which will require less effort.

Exercise 2: Determine the volume of the solid of revolution formed by revolving the region bounded by the graphs of $f(x) = 11 + x^2$, the *x*-axis, the *y*-axis, and x = 3 about the *y*-axis.



A Comparison of the Washer/Disk Method with the Shell Method


Washer/Disk Method		Shell Method	
The representative rectangle is			
to the axis of revolution.			
Here, the axis of revolution is			
Volume =	Volume =	Volume =	Volume =

Watch this video comparing the washer and shell methods.



Exercise 3: Determine the volume of the solid of revolution formed by revolving the region bounded by the graphs of $y = x^3 + 2x + 4$, y = 4, and x = 2 about the line x = 5.

First, try to determine the volume using the washer method.



$$R(y) =$$


$$r(y) =$$

The difficulty is that we would have to write

in order to have a formula for R(y) = 5 - x in terms of y.

In other words, we would have to solve

Now, instead, determine the volume using the shell method.



$$h(x) =$$

$$p(x) =$$

Volume =

Calculus 2 Section 7.3 Volume: The Shell Method

More Example Videos:

Shell method for rotating around vertical line video



Volume of Revolution The Shell Method about the y-axis <u>video</u>



Volume of Revolution The Shell Method about the x-axis video



The Shell Method NOT about x or y axis



Textbook Exercises: Section 7. 3

Problems: 3-31 odd, 35, 37, 38, 39, 49, 55, 59

Textbook Exercises Videos: Section 7. 3









Textbook PowerPoints Slides: Section 7. 3

View a summary of the textbook reading in **PowerPoint** form



Hyperlinks:

- Completed Handout: https://cwoer.ccbcmd.edu/math/math252/m252c7s2sol.pdf
- Shell Method Introduction Video: https://college.cengage.com/mathematics/blackboard/shared/content/video explanations/video wra pper.html?filename=v01404a
- Video of an example of the shell method: http://patrickjmt.com/volumes-of-revolution-cylindrical-shells/
- Video comparing the washer and shell method: https://www.youtube.com/embed/ZyFaaKhNPXo?r=0
- Shell method for rotating around vertical line: https://www.youtube.com/embed/60zz3J-LRrY?r=0
- Volume of Revolution The Shell Method about the y-axis: https://www.youtube.com/embed/3B2YQbEzshg?r=0
- Volume of Revolution The Shell Method about the x-axis: https://www.youtube.com/embed/pCMkHkprN0!?r=0
- The Shell Method NOT about x or y axis: https://www.youtube.com/embed/lp3 rmjbxZ8?r=0
- Textbook Exercises Video 7.3 Problem 7: youtu.be/KAAkpcugZCO
- Textbook Exercises Video 7.3 Problem 17: youtu.be/dzc9V4PKi6U
- Textbook Exercises Video 7.3 Problem 23: <u>youtu.be/qwFgJPPRJRg</u>
- Textbook Exercises Video 7.3 Problem 27: <u>youtu.be/ 5PrYwoSfN4</u>
- Textbook Summary PowerPoint Section 7.3: https://cwoer.ccbcmd.edu/math/math252/Math252Section0703.pptx